

2D Height Gauge

Series AccuGage 700/1000





Features

The instrument is suitable for One-Dimensional as well as Two-Dimensional measurements Programming, for batch quantities measurements Color LCD screen

The probe moves up and down automatically Low and high limits with judgement Built-in air compressor provides smooth movement on granite surface plate With re-chargeable battery, for 10 hours working

Specifications

Part No	Range	Expendable Range	Squareness	Resolutions	Accuracy	Repeatability	Measuring Force	Output	Power Supply	Temperature	Weight	Accessories
AC-ACCUGAGEI000	0-1000mm	1315mm	10⊠m	0.5⊠m, l⊠m	2+L/330Mm, L is measuring length in mm (working temperature is 20±1°C	0.001mm on plane and 0.002mm on bore	1±0.2N	USB or RS232	Rechargeable Battery	10°C - 40°C	25Kg	Ipc x Main unit, Ipc x Ø6x48mm Ruby Ball Probe, Ipc x Calibration block, Ipc x Software and USB cable (each), Iset x Allen Key, Ipc x AC/DC Adaptor
AC-ACCUGAGE700	0-700mm	1015mm	6⊠m	0.5⊠m, 1⊠m	2+L/330⊠m, L is measuring length in mm (working temperature is 20±1°C	0.001mm on plane and 0.002mm on bore	1±0.2N	USB or RS232	Rechargeable Battery	10°C - 40°C	25кд	Ipc x Main unit, Ipc x Ø6x48mm Ruby Ball Probe, Ipc x Calibration block, Ipc x Software and USB cable (each), Iset x Allen Key, Ipc x AC/DC Adaptor

