ACCUD

ACCURATE MEASUREMENT



See full product range at: accud.com.au

Endoscope

Series ES



Features

2-way directions
With adjustable LED light
Take pictures and record videos

Specifications

Part No	Specification
AC-ES4015	Probe diameter: 4.0mm Cable length*: 1.5mm Dust/waterproof probe: IP65 Camera: 0.45M Pixel Picture resolution: 640x480 Frame rate: 30fps Illumination: 4pcs LEDs Video format: AVI or MPEG4 Memory: 8G SD card Power supply: rechargeable battery (for 4 hours working) Weight: 500g Included accessories Main unit: 1pc Cable with probe: 1pc SD card 8GB: 1pc AC/DC adaptor: 1pc Video output cable: 1pc USB cable: 1pc

© 2026 M Gamer Pty Ltd

Part No	Specification
AC-ES5515	Probe diameter: 5.5mm Cable length*: 1.5m Dust/waterproof probe: IP65 Camera: 0.45M Pixel Picture resolution: 640x480 Frame rate: 30fps Illumination: 8pcs LEDs Video format: AVI or MPEG4 Memory: 8G SD card Power supply: rechargeable battery (for 4 hours working) Weight: 550g Included accessories Main unit: 1pc Cable with probe: 1pc SD card 8GB: 1pc AC/DC adaptor: 1pc Video output cable: 1pc USB cable: 1pc
AC-ES5530	Probe diameter: 5.5mm Cable length*: 3m Dust/waterproof probe: IP65 Camera: 0.45M Pixel Picture resolution: 640x480 Frame rate: 30fps Illumination: 8pcs LEDs Video format: AVI or MPEG4 Memory: 8G SD card Power supply: rechargeable battery (for 4 hours working) Weight: 750g Included accessories Main unit: 1pc Cable with probe: 1pc SD card 8GB: 1pc AC/DC adaptor: 1pc Video output cable: 1pc USB cable: 1pc

© 2026 M Gamer Pty Ltd