

Portable Hardness Tester

Series HL200





Features

Touch screen, with backlight
Based on HL scale, converted to other hardness
scales (HV, HB, HRC, HRB, HS) and tensile strength
Mpa
With wireless printer Can set impact direction
Memory:500
Low and high limits with judgement

Automatic power off Conforms to the standard ASTMA956-02



Support ring (12pcs/set, optional)

Specifications

Part No	Specification
AC-HL200	Resolution: 1HLD, 1HV, 1HB, 0.1HRC, 0.1HRB, 1HS, 1MPa Accuracy: ±6HLD/0.6HRC(HLD=800) Min. workpiece weight: M2kg (directly) Min. workpiece weight: M2kg (coupled on large plate) Min. workpiece weight: M2kg (coupled on large plate) Min. workpiece thickness: M5mm Min. workpiece diameter: M22mm Max. workpiece surface roughness: RaMI.6µm Power: Rechargeable battery Dimension: 135×83×24mm Included accessories Main unit: 1pc Wireless printer: 1pc Test block: 1pc Small support ring & brush: 1pc Charger for printer: 1pc Optional accessories Impact device DC: HL200-DC Impact device D-15: HL200-DI5 Impact device D: HL200-G Support ring (12pcs set): HL-SP

