

ACCUD

ACCURATE MEASUREMENT



See full product range at: accud.com.au

Force Gauge

Series NK



Features

Push and pull test
Peak(max.) or tracking work mode

Specifications

Part No	Specification
AC-NK-100	Range(N): 100 Range(Kg): 10 Resolution(N): 0.5 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000
AC-NK-20	Range(N): 20 Range(Kg): 2 Resolution(N): 0.1 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000

Part No	Specification
AC-NK-200	Range(N): 200 Range(Kg): 20 Resolution(N): 1 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000
AC-NK-30	Range(N): 30 Range(Kg): 3 Resolution(N): 0.2 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000
AC-NK-300	Range(N): 300 Range(Kg): 30 Resolution(N): 2 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000
AC-NK-50	Range(N): 50 Range(Kg): 5 Resolution(N): 0.25 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000
AC-NK-500	Range(N): 500 Range(Kg): 50 Resolution(N): 2.5 Accuracy: $\pm 2\%$ xFS (full scale) Included accessories Main unit: 1pc Push tip: 4pcs (flat, V type, knife-edge, point) Pull clamp: 1pc Extension rod: 1pc Optional accessories Stand: FS1000