


Digital Bottle Cap Torque Meter

Certificate Data output Charge

Series TTM



Features

Test the open and tighten torque of bottle cap Peak, preset and real-time working mode Unit: N.m, N.cm, kgf.cm, lbf.cm, lbf.in Memory: 1000 Power off automatically With software, can show the torque graph

Specifications

Part No	Specification
AC-TTM10	Range: 0.5–10N.m Accuracy: ±0.5% Resolution: 0.001N.m Open size: Ø19.5–190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100
AC-TTM2	Range: 0.1–2N.m Accuracy: ±0.5% Resolution: 0.0002N.m Open size: Ø19.5–190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100

Part No	Specification
AC-TTM20	Range: 1-20N.m Accuracy: ±0.5% Resolution: 0.002N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100
AC-TTM5	Range: 0.25-5N.m Accuracy: ±0.5% Resolution: 0.0005N.m Open size: Ø19.5-190mm Output: USB and RS232 Power: rechargeable battery Weight: 2.5kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Optional accessories Wireless printer: PR100

