

Digital Torque Meter

Series TTS





Features

Adjustable open size for fixing
Peak, preset and real-time working mode
Unit: N.m, N.cm, kgf.cm, lbf.cm, lbf.in
Memory: 1000
Power off automatically
With software, can show the torque graph

Specifications

Part No	Specification
AC-TTS1	Range: 0.05-1N.m Open size: Ø10mm Resolution: 0.0001N.m Accuracy: ±0.3% Memory: 1000 Output: USB and RS232 Power: rechargeable battery Weight: 0.7kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Wrench: 1pc Optional accessories Wireless printer: PR100
AC-TTS10	Range: 0.5-10N.m Open size: Ø13mm Resolution: 0.001N.m Accuracy: ±0.3% Memory: 1000 Output: USB and RS232 Power: rechargeable battery Weight: 0.7kg Included accessories Main unit: 1pc Charger: 1pc Software with cable: 1pc Wrench: 1pc Optional accessories Wireless printer: PR100



Part No	Specification
	Range: 0.25-5N.m
	Open size: Ø10mm
	Resolution: 0.0005N.m
	Accuracy: ±0.3%
	Memory: 1000
	Output: USB and RS232
	Power: rechargeable battery
	Weight: 0.7kg
AC-TTS5	
	Included accessories
	Main unit: 1pc
	Charger: lpc
	Software with cable: lpc
	Wrench: 1pc
	Optional accessories
	Wireless printer: PR100

